TOOLS

FIBER & NETWORK TOOLS FIBER OPTIC TOOLS



ACS Splitter

Professional grade tool ideal for slitting the corrugated copper, steel or aluminum armor layer on Fiber Feeder, Central Tube, Stranded Loose Tube fiber optic cables and other armored cables. Versatile design allows jacket or shield slitting on non-fiber optic configurations as well Tool slits outer polyethylene jacket and armor in one operation

- Performs longitudinal slitting and circumferential (ringing) for end stripping
- Blade rotates 90 degrees by activating blade lever, allowing easy mid-span preparation (ringing and slitting)
- Adjustable from 0.315" (8 mm) to 1.125" (28.6 mm) cable O.D.
- Adjustable blade depth to 5.5mm maximum to accommodate different cable coverings

FO Stripper

For stripping 250 micron buffer coating to expose 125 micron cladded fiber 140 μm diameter hole and V-opening in blade allows removal of 250 micron buffer coating from 125 micron fiber

CFS-2 FO Stripper

For stripping 250 micron buffer coating to expose 125 micron cladded fiber 140 μm diameter hole and V-opening in blade allows removal of 250 micron buffer coating from 125 micron fiber

- Second hole for stripping 2-3 mm fiber jackets
- Pre-set at the factory no adjustments needed
- Will not scratch or nick glass fiber
- All stripping surfaces are manufactured to precise tolerances to assure clean, smooth strips
- Comfort-grip, ergonomic handles
- Lock to hold tool closed when it is
- not in use
- Made in the U.S.A.
- Length: 6.5 in (165 mm) Weight: 4.2 oz (119 g)
- PTTAF Code.: 46107



Three-Hole Fiber Optic Strippers

- New three-hole model performs all common fiber stripping functions in one compact tool....
- Hole for removal of 2 to 3 mm fiber jackets
- Remove 900 tight buffer to
- 250 micron buffer coating
- Standard 250 to 125 micron stripping
 Same consistent quality and features

found in our standard FO 103-S tool

- Also available: FO 103-T-400-250 Fiber
- Optic Stripper for 400 micron coated PM Fiber (PTTAF Code.: 80740)
- Made in the U.S.A.
- Length: 5.375 in (137 mm)
- Weight: 2.5 oz (71 g)
- PTTAF Code.: 80677

-	Same consistent quality and features	
		PIBER OFTIC SYSTEMS
	Three-Hole Fiber Optic Strippers	